

wineo



ACCESSORIES

CONTENT

Underlay material	04
Skirting boards	12
Skirting boards External corners Inside corners Weld rods	22

THAT'S
FLOORING

UNDERLAY MATERIAL PRODUCT FINDER
FOR PURLINE & DESIGN FLOORING

Installation of	Installation type	Installation	Special feature	Product
wineo PURLINE or design flooring and comparable design floors for gluing and clicking in	for gluing	floating	self-adhesive on one side	singleGLUE
		glued	self-adhesive on both sides	doubleGLUE
			combined with liquid glue	silentPLUS
	for clicking in	floating	for elastic click-floors	silentCOMFORT
			Rigid-click < 4 mm	silentRIGID COMPACT
			(Semi-) Rigid-click	silentRIGID

UNDERLAY MATERIAL PRODUCT FINDER
FOR LAMINATE FLOORING & PARQUET FLOORING

Installation of	Anforderung	Substrate	Product
laminate flooring or parquet flooring	Underfloor heating	mineral based	soundPROTECT SD
			soundPROTECT PROFI SD
		non-mineral based	soundPROTECT
			soundPROTECT PROFI
	Heat insulation	mineral based	insulationBOARD + PE vapour barrier
		non-mineral based	insulationBOARD

PU SELF-ADHESIVE MATS
FOR PURLINE & DESIGN FLOORING



singleGLUE | Art.-Nr. KPU1020



THE INNOVATIVE SOLUTION
FOR THE FLOATING INSTALLATION
OF ELASTIC FLOOR COVERINGS FOR GLUING,
WITHOUT LIQUID ADHESIVE

- floating installation of plank and sheet material
- self-adhesive top surface, floating installation, ultra-fast
- perfect solution for underfloor heating

Fits to PURLINE & design flooring for gluing
and all comparable elastic dryback floor coverings

The **singleGLUE** is an underlay with a **self-adhesive top surface**. The underlay is **rolled out in a floating arrangement**, i.e. loose on the screed. Once the protective film has been removed, the flooring can be glued on top and is then fixed using a roller. Working without liquid adhesive is extremely clean and installation is **very quick**. Surfaces can be walked on immediately and thanks to the floating installation the flooring can be removed without leaving any residue.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	40
Roll:	6.5 m²
Thickness:	1.8 mm
Width:	1 m
Length:	6.5 m
Weight:	2.6 kg / m²
Impact sound reduction:	13 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

doubleGLUE | Art.-Nr. KPU1050



THE STRONG SOLUTION
FOR A DOUBLE-SIDED ADHESION
OF ELASTIC FLOOR COVERINGS FOR GLUING,
WITHOUT LIQUID ADHESIVE

- double-sided installation of plank and sheet material
- suitable for the installation of large areas
- no expansion joints
- perfect solution for underfloor heating

Fits to PURLINE & design flooring for gluing
and all comparable elastic dryback floor coverings

The **doubleGLUE** underlay with a **self-adhesive top- and backside**, is additionally **glued** to the substrate. This strong bonding in many cases allows for the **elimination of expansion joints** between rooms and makes an installation of very large areas possible. Also surfaces can be walked on immediately, other trades do not have to wait.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	40
Rolle:	6.5 m²
Thickness:	1.8 mm
Width:	1 m
Length:	6.5 m
Weight:	2.6 kg / m²
Impact sound reduction:	13 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR PURLINE & DESIGN FLOORING



silentPLUS | Art. no. UPU1020



THE PLUS IN QUIETNESS
FOR FULL-SURFACE BONDING
OF ELASTIC FLOOR COVERINGS FOR GLUING


- self-adhesive below, full-surface bonding above, ultra-quiet
- perfect solution for underfloor heating
- up to utilisation class 23/33

Fits to PURLINE & design flooring for gluing
and all comparable elastic dryback floor coverings

silentPLUS is an underlay with a **self-adhesive lower surface**. Once the protective film has been removed, the underlay is stuck to the substrate. The flooring is then fitted with an additional adhesive on the entire upper surface. This double adhesive method reduces impact noise up to 17 dB and guarantees that special bonus of very low noise.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	2 kg / m²
Impact sound reduction:	16 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

silentCOMFORT | Art. no. UCT1000



THE CONVENIENT MAT
FOR STABLE CLICKING INSTALLATION
OF ELASTIC FLOOR COVERINGS

- adhesive top surface, floating installation, ultra-stable
- perfect solution for underfloor heating

Fits to PURLINE & design flooring for clicking in
and all comparable elastic dryback floor coverings


silentCOMFORT is the best choice **for floating installation of click flooring**. The **adhesive surface** ensures the click connections of the flooring are stable so that the flooring does not slip on the underlay. silentCOMFORT is therefore the most stable underlay for comfortable click installation of elastic flooring.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	40
Roll:	10 m²
Thickness:	1.5 mm
Width:	1 m
Length:	10 m
Weight:	1.5 kg / m²
Impact sound reduction:	15 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR PURLINE & DESIGN FLOORING



silentRIGID COMPACT | Art. no. UPU1050



RECOMMENDED USE
FOR THIN RIGID COVERINGS
WITH LESS THAN 4 MM
PRODUCT THICKNESS

THE MUST-HAVE
FOR THE INSTALLATION
OF RIGID-FLOORS FOR CLICKING IN

- no breaking of the click connection
- super stabilising
- laid as a floating floor

Fits to thin rigid design flooring for clicking in
with less than 4 mm product thickness

The **silentRIGID COMPACT** is the **perfect underlay for rigid floors with less than 4 mm product thickness**. With these types of products it stabilises click connections which are often weak and reduces walking noise.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	54
Roll:	10 m²
Thickness:	1.0 mm
Width:	1 m
Length:	10 m
Weight:	1.2 kg / m²
Impact sound reduction:	14 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

silentRIGID | Art. no. UPU1030



RECOMMENDED USE
FOR RIGID COVERINGS

THE MUST-HAVE
FOR THE INSTALLATION
OF RIGID-FLOORS FOR CLICKING IN

- no breaking of the click connection
- super stabilising
- laid as a floating floor

Fits to (semi-) rigid design flooring for clicking in
and any comparable rigid design flooring

The **silentRIGID** was specially developed for **rigid floors in the premium sector**. With these types of products it stabilises click connections which are often weak and reduces walking noise.

Technical characteristics	
Base material:	bio-polyurethane
Rolls / pallets:	54
Roll:	9 m²
Thickness::	1.2 mm
Width:	1 m
Length:	9 m
Weight:	1.5 kg / m²
Impact sound reduction:	16 ± 2 dB
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR LAMINATE FLOORING
& PARQUET FLOORING



soundPROTECT | Art. no. UPU200



THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE
2 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral subsurfaces (a vapour barrier must be used with mineral subsurfaces)

Fits to all comparable standard laminate and parquet products

soundPROTECT is the perfect 2 mm underlay for laminate and parquet flooring. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	bio-polyurethane
Rolls /pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m²
Impact sound reduction:	18 ± 2 dB
Reflected walking sound:	28 % ± 2 %
Thermal resistance:	0.01 (m²K) / W

soundPROTECT SD | Art. no. UPU200SD



With integrated
VAPOUR
BARRIER

THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE
2 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits to all comparable standard laminate and parquet products

soundPROTECT SD is the perfect 2 mm underlay for laminate and parquet flooring with integrated vapour barrier. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	bio-polyurethane
Rolls /pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m²
Impact sound reduction:	18 ± 2 dB
Reflected walking sound:	28 % ± 2 %
Thermal resistance:	0.01 (m²K) / W
SD value:	> 75 m

PU UNDERLAYS
FOR LAMINATE FLOORING
& PARQUET FLOORING



soundPROTECT PROFI | Art. no. UPU100



THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE
3 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral subsurfaces (a vapour barrier must be used with mineral substrates)

Fits to all comparable standard laminate and parquet products

soundPROTECT PROFI is the perfect 3 mm underlay for laminate and parquet flooring. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	bio-polyurethane
Rolls /pallets:	40
Roll:	5.5 m²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m²
Impact sound reduction:	17 ± 2 dB
Reflected walking sound:	31 % ± 2 %
Thermal resistance:	0.01 (m²K) / W

soundPROTECT PROFI SD | Art. no. UPU100SD



With integrated
VAPOUR
BARRIER

THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE
3 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits to all comparable standard laminate and parquet products

soundPROTECT PROFI SD is the perfect 3 mm underlay for laminate and parquet flooring with integrated vapour barrier. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	bio-polyurethane
Rolls /pallets:	40
Roll:	5.5 m²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m²
Impact sound reduction:	17 ± 2 dB
Reflected walking sound:	31 % ± 2 %
Thermal resistance:	0.01 (m²K) / W
SD value:	> 75 m



BEST INGREDIENTS FOR BEST RESULTS

The basis of wineo PU underlays and PU self-adhesive mats is an unique bio-polyurethane from Windmöller. It is based on castor oil and naturally occurring mineral components such as chalk.



Castor oil




Chalk

PU underlays

- fast, energy-efficient distribution of ground heat
- excellent noise reduction with hard and soft floor coverings
- long-life performance of at least 30 years
- excellent residual indentation behaviour
- natural raw materials
- without the addition of chlorine, plasticisers or solvents

FIBREBOARD FOR LAMINATE FLOORING & PARQUET FLOORING

insulationBOARD | Art. no. UHF100



THE STRONG INSULATION BOARD FOR PROFESSIONALS

- very good heat insulation, height compensation up to approx. 3 mm, high durability

Fits to all comparable standard laminate and parquet products

insulationBOARD has a proven track record with installation professionals as a **heat insulation underlay**. The insulating board has very good compensation characteristics and is very durable.

Technical characteristics	
Material:	Fibreboard
Boxes / pallets:	26
Quantity / box:	15 pieces (7 m²)
Thickness:	5 mm
Width:	0.59 m
Length:	0.79 m
Weight:	1.28 kg / m²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	~ 11 %
Thermal resistance:	0.071 (m²K) / W

PE FILM & MULTI-PURPOSE SEALING TAPE FOR LAMINATE FLOORING & PARQUET FLOORING

PE vapour barrier | Art. no. UZUB200



- thin PE film for use under all hard flooring (not required for wood substrates)
- provides a separating layer between screed and underlay materials
- certified to B2

Fits to: soundPROTECT, soundPROTECT PROFI, insulationBOARD

Technical characteristics	
Rolls / pallets:	100
Roll:	30 m²
Thickness:	0.125 mm
Width:	1 m
Length:	30 m

Multi-purpose sealing tape | Art. no. UZUB110



- special adhesive tape for sealing the edges of underlay
- required for all underlays with integrated vapour barrier

Fits to: soundPROTECT SD, soundPROTECT PROFI SD

Technical characteristics	
Roll:	1
Width:	38 mm
Length:	20 m

SKIRTING BOARDS



www.blauer-engel.de/uz176

Contrast | Art.-Nr. F01CT60



60 x 16 x 2380 mm


MDF material | Unit = 4

Unity



- for the majority of our wineo floorings we offer skirtings similar to the decor, p. 14-22
- for skirtings not listed, we recommend F01CT6


Classic | Art.-Nr. F01CS80



80 x 18 x 2380 mm

MDF material | Unit = 4


Hamburg | Art.-Nr. F01HB80



80 x 18 x 2380 mm

MDF material | Unit = 4

Design | Art.-Nr. F01DS80



80 x 18 x 2380 mm

MDF material | Unit = 4

SKIRTING BOARD ACCESSORIES
SKIRTING CLIPS

Skirting clips | Art.-Nr. FCLIPK



- invisible skirting board fixings

ca. 20 mm | box = 50 clips

SKIRTING BOARD ACCESSORIES
INSIDE AND EXTERNAL CORNERS | END CAPS | CONNECTION PIECES

Fits to: Contrast skirting board



Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-60
External corners	2	White	FAE01-60
End caps	2	White	FAK01-60
Connection pieces	2	White	FCP01-60

Fits to: Design skirting board



Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-80
External corners	2	White	FAE01-80
End caps	2	White	FAK01-80
Connection pieces	2	White	FCP01-80

Fits to: Hamburger 80 skirting board



Type (self-adhesive)	Unit	Colour	Art. no.
Inside corners	4	White	FIE01-80H
External corners	2	White	FAE01-80H
End caps	2	White	FAK01-80H
Connection pieces	2	White	FCP01-80H

SKIRTING BOARDS
FOR PURLINE



www.blauer-engel.de/uz176



living

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Brushed Oak Light	PL10100WL	F6010106
Brushed Oak Sand	PL10101WL	F6010155
Lounge Oak Beige	PL10102WL	F6010106
Lounge Oak Amber	PL10103WL	F6010124
True Oak Taupe	PL10104WL	F6010104
True Oak Amber	PL10105WL	F6010120
True Oak Brown	PL10106WL	F6010109
Intensive Oak Toffee	PL10107WL	F6010124



www.blauer-engel.de/uz176



SKIRTING BOARDS
FOR PURLINE

wineo 1000

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Calm Oak Ash	PL308R PLC308R MLP308R	F01CT60 (weiß)
Calm Oak Bright	PL305R PLC305R MLP305R	F6010114
Calm Oak Mocca	PL307R PLC307R MLP307R	F01CT60 (weiß)
Calm Oak Shell	PL306R PLC306R MLP306R	F6010155
Comfort Oak Sand	PL298R PLC298R MLP298R	F6010126
Intensive Oak Caramel	PL300R PLC300R MLP300R	F6010131
Intensive Oak Honey	PL299R PLC299R MLP299R	F6010136
Light Maple Cream	PL296R PLC296R MLP296R	F01CT60 (weiß)
Natural Pine Beach	PL297R PLC297R MLP297R	F01CT60 (weiß)
Noble Oak Chocolate	PL312R PLC312R MLP312R	F6010116
Noble Oak Powder	PL309R PLC309R MLP309R	F6010114
Noble Oak Toffee	PL311R PLC311R MLP311R	F6010143
Noble Oak Vanilla	PL310R PLC310R MLP310R	F6010124
Rustic Oak Coffee	PL316R PLC316R MLP316R	F6010108
Rustic Oak Ginger	PL314R PLC314R MLP314R	F6010122
Rustic Oak Nougat	PL315R PLC315R MLP315R	F6010116
Rustic Oak Taupe	PL313R PLC313R MLP313R	F01CT60 (weiß)
Soft Oak Pepper	PL304R PLC304R MLP304R	F01CT60 (weiß)
Soft Oak Salt	PL295R PLC295R MLP295R	F01CT60 (weiß)
Soft Oak Silver	PL302R PLC302R MLP302R	F01CT60 (weiß)
Strong Oak Cappuccino	PL303R PLC303R MLP303R	F01CT60 (weiß)
Strong Oak Cinnamon	PL301R PLC301R MLP301R	F6010112

wineo 1200

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Announcing Fritz	PL271R PLC271R MLP271R	F6010136
Call me Tilda	PL086R PLC086R MLP086R	F6010121
Cheer for Lisa	PL097R PLC097R MLP097R	F6010153
Hello Martha	PL076R PLC076R MLP076R	F6010101
Let's go Max	PL270R PLC270R MLP270R	F6010118
Say hi to Klara	PL272R PLC272R MLP272R	F6010147
Smile for Emma	PL084R PLC084R MLP084R	F6010105
Welcome Oskar	PL269R PLC269R MLP269R	F6010155

SKIRTING BOARDS
FOR PURLINE



www.blauer-engel.de/uz176



wineo 1500

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Aspen Oak Dark	PL15000WL	F6010121
Canyon Oak Honey	PL15200WXL	F6010101
Canyon Oak Sand	PL15001WL	F6010120
Crafted Oak	PL15201WXL	F6010101
Durban Oak Brown	PL15002WL	F6010137
Durban Oak Taupe	PL15003WL	F6010138
Fine Oak Brown	PL15202WXL	F6010129
Fine Oak Light	PL15203WXL	F6010134
Fine Oak Nature	PL15204WXL	F6010106
Fjord Maple Beige	PL15205WXL	F01CT60 (white)
Fractal Dark	PL15600GXL	F01CT60 (white)
Fractal Ecru	PL15601GXL	F01CT60 (white)
Fractal Grey	PL15602GXL	F01CT60 (white)
Fractal Light	PL15603GXL	F01CT60 (white)
Fractal Opus	PL15604GXL	F01CT60 (white)
Fractal Wave	PL15605GXL	F01CT60 (white)
Iceland Pine Light	PL15004WL	F6010132
Intensive Oak Amber	PL15206WXL	F6010124
Intensive Oak Brown	PL15207WXL	F6010102
Intensive Oak Nature	PL15208WXL	F6010115
Intensive Oak Taupe	PL15209WXL	F6010104
Lodge Oak Brown	PL15005WL	F6010112
Lodge Oak Dark	PL15006WL	F6010137
Loft Concrete Dark	PL15400SXL	F01CT60 (white)
Loft Concrete Grey	PL15401SXL	F01CT60 (white)
Lugano Walnut Brown	PL15210WXL	F6010108
Mayfield Oak Beige	PL15211WXL	F6010145
Mayfield Oak Brown	PL15212WXL	F6010120
Mayfield Oak Nature	PL15213WXL	F6010124
Mayfield Oak Taupe	PL15214WXL	F6010123
Melbourne Oak Brown	PL15222WXL	F6010108

SKIRTING BOARDS
FOR PURLINE



www.blauer-engel.de/uz176



wineo 1500

Design	Fits to (Decor art. no.)	16/60 16/60 (Art. no.)
Melbourne Oak Natural	PL15223WXL	F6010149
Metropolitan Marble Dark	PL15402SXL	F01CT60 (white)
Modern Stone Dark	PL15403SXL	F01CT60 (white)
Modern Stone Grey	PL15404SXL	F01CT60 (white)
Newport Oak Brown	PL15007WL	F6010101
Newport Oak Natural	PL15008WL	F6010106
Olevano Marble Grey	PL15405SXL	F01CT60 (white)
Oxford Denim	PL15500TXL	F01CT60 (white)
Oxford Flint	PL15505TXL	F01CT60 (white)
Oxford Ocean	PL15501TXL	F01CT60 (white)
Oxford Oyster	PL15502TXL	F01CT60 (white)
Oxford Slate	PL15503TXL	F01CT60 (white)
Oxford Steel	PL15504TXL	F01CT60 (white)
Portland Concrete Dark	PL15406SXL	F01CT60 (white)
Portland Concrete Grey	PL15407SXL	F01CT60 (white)
Portland Concrete Light	PL15408SXL	F01CT60 (white)
Ravenna Oak Beige	PL15009WL	F6010111
Ravenna Oak Brown	PL15010WL	F6010122
Ravenna Oak Nature	PL15215WXL	F6010122
Real Oak Amber	PL15216WXL	F6010118
Real Oak Nature	PL15217WXL	F6010143
Real Oak Taupe	PL15218WXL	F6010126
Serene Marble Dark	PL15411SXL	F01CT60 (white)
Serene Marble Grey	PL15412SXL	F01CT60 (white)
Serene Marble Light	PL15409SXL	F01CT60 (white)
Serene Marble Nature	PL15410SXL	F01CT60 (white)
Siena Oak Beige	PL15219WXL	F6010145
Siena Oak Brown	PL15220WXL	F6010135
Siena Oak Honey	PL15221WXL	F6010143
Siena Oak Nature	PL15011WL	F6010115
Venice Terrazzo Grey	PL15413SXL	F01CT60 (white)

SKIRTING BOARDS
FOR DESIGN FLOORING



www.blauer-engel.de/uz176



wineo 400

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Authentic Oak Brown	DB296WXL RLC296WXL MLD296WXL	F6010122
Balanced Oak Brown	DB285WXS DB285WL RLC285WL MLD285WL	F6010113
Balanced Oak Grey	DB287WL RLC287WL MLD287WL	F6010128
Balanced Oak Lightgrey	DB286WXS DB286WL RLC286WL MLD286WL	F6010153
Calm Ash Beige	DB290WXL RLC290WXL MLD290WXL	F6010140
Coast Pine Greige	DB280WL RLC280WL MLD280WL	F6010132
Coast Pine Taupe	DB284WL RLC284WL MLD284WL	F6010119
Comfort Oak Brown	DB293WXL RLC293WXL MLD293WXL	F6010110
Comfort Oak Dark	DB299WXL RLC299WXL MLD299WXL	F6010121
Comfort Oak Mellow	DB129WXL RLC129WXL MLD129WXL	F6010102
Comfort Oak Nature	DB291WXL RLC291WXL MLD291WXL	F6010110
Comfort Oak Taupe	DB300WXL RLC300WXL MLD300WXL	F6010148
Cool Walnut Dark	DB298WXL RLC298WXL MLD298WXL	F6010121
Country Oak Nature	DB294WXL RLC294WXL MLD294WXL	F6010124
Easy Oak Greige	DB288WXL RLC288WXL MLD288WXL	F6010151
Joy Oak Tender	DB126WXL RLC126WXL MLD126WXL	F6010107
Limed Oak Silver	DB301WXL RLC301WXL MLD301WXL	F6010123
Nordic Maple Cream	DB289WXL RLC289WXL MLD289WXL	F6010140
Plain Oak Beige	DB281WXS DB281WL RLC281WL MLD281WL	F6010155
Shadow Oak Brown	DB295WXL RLC295WXL MLD295WXL	F6010108
Shadow Oak Nature	DB292WXL RLC292WXL MLD292WXL	F6010154
Vibrant Oak Beige	DB282WL RLC282WL MLD282WL	F6010139
Vintage Oak Brown	DB297WXL RLC297WXL MLD297WXL	F6010109
Vivid Oak Nature	DB283WXS DB283WL RLC283WL MLD283WL	F6010112



www.blauer-engel.de/uz176



SKIRTING BOARDS
FOR DESIGN FLOORING

wineo 600

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
#AmsterdamLoft	DB195W6 RLC195W6	F6010112
#BarcelonaLoft	DB191W6 RLC191W6	F6010134
#BerlinLoft	DB200W6 RLC200W6	F6010150
#BrooklynFactory	DB206W6 RLC206W6	F01CT60 (white)
#CamdenFactory	DB202W6 RLC202W6	F01CT60 (white)
#ChelseaFactory	DB203W6 RLC203W6	F01CT60 (white)
#CopenhagenLoft	DB189W6 RLC189W6	F6010132
#CozyPlace	DB186W6 RLC186W6	F6010130
#ElegantPlace	DB187W6 RLC187W6	F6010123
#LisbonLoft	DB192W6 RLC192W6	F6010107
#LondonLoft	DB193W6 RLC193W6	F6010149
#MilanoLoft	DB190W6 RLC190W6	F6010141
#ModernPlace	DB188W6 RLC188W6	F01CT60 (white)
#MoscowLoft	DB198W6 RLC198W6	F6010135
#NaturalPlace	DB183W6 RLC183W6	F6010154
#NewtownFactory	DB204W6 RLC204W6	F01CT60 (white)
#NewYorkLoft	DB197W6 RLC197W6	F6010137
#NoordFactory	DB201W6 RLC201W6	F01CT60 (white)
#ParisLoft	DB199W6 RLC199W6	F6010105
#SmoothPlace	DB185W6 RLC185W6	F6010126
#SoHoFactory	DB205W6 RLC205W6	F01CT60 (white)
#SydneyLoft	DB194W6 RLC194W6	F6010112
#ViennaLoft	DB196W6 RLC196W6	F6010102
#WarmPlace	DB184W6 RLC184W6	F6010149

SKIRTING BOARDS
FOR DESIGN FLOORING



www.blauer-engel.de/uz176

wineo 800

Design	Fits to (Decor art. no.)	16/60 (Art. no.)
Bergamo Walnut Dark	DB840WXL MLD840WXL	F01CT60 (white)
Bergen Marble Grey	DB853SXL	F01CT60 (white)
Bradford Oak Honey	DB835WXL MLD835WXL	F6010154
Catania Pine Grey	DB841WXL MLD841WXL	F6010152
Chicago Concrete Dark	DB852SXL	F01CT60 (white)
Clifton Oak Brown	DB822WL	F6010116
Dalen Oak Lightgrey	DB830WXL MLD830WXL	F6010132
Dalen Oak Nature	DB834WXL MLD834WXL	F6010154
Dublin Oak Brown	DB838WXL MLD838WXL	F6010122
Lundby Maple Beige	DB831WXL MLD831WXL	F01CT60 (white)
Malmö Oak Beige	DB832WXL MLD832WXL	F6010115
Merano Oak Brown	DB819WL	F6010129
Merano Oak Nature	DB818WL	F6010124
Narvik Oak Nature	DB836WXL MLD836WXL	F6010144
Palermo Oak Brown	DB837WXL MLD837WXL	F6010126
Romo Concrete Lightgrey	DB850SXL	F01CT60 (white)
Sheffield Concrete Grey	DB851SXL	F01CT60 (white)
Stavanger Oak Brown	DB839WXL MLD839WXL	F6010108
Stavanger Oak Nature	DB833WXL MLD833WXL	F6010141
Stockholm Oak Brown	DB820WL	F6010126
Stockholm Oak Taupe	DB816WL	F6010111
Trondheim Oak Brown	DB817WL	F6010107
Visby Oak Cream	DB815WL	F01CT60 (white)
York Oak Brown	DB821WL	F6010137



Skirting boards

SKIRTING BOARDS | EXTERNAL CORNERS | INSIDE CORNERS | WELD RODS

- available for all wineo 1500 roll designs
- uniform rounding due to machine-finished reinforcement
- very robust – no additional supporting profile
- high stability in corner area, no maintenance joint
- elastic material compensates screed sink
- practical skirting dimensions from 2.40 m long – no customising of strips
- flush thresholds guaranteed
- materials do not need to be heated during installation
- no additional templates required
- order-specific article

Technical characteristics	Skirting boards	External corners	Inside corners	Welding rods
Height	100 mm	100 mm	100 mm	4 mm
Width	100 mm	100 mm	100 mm	4 mm
Length	2400 mm	230 mm per site	210 mm per site	60 m / Roll

Design	Fits to		Skirting board	External corner	Inside corner	Welding rods
Almond Beige	PLR375C		PH375	PEA375	PEI375	PS375
Aloe Green	PLR380C		PH380	PEA380	PEI380	PS380
Apple Green	PLR185C		PH185	PEA185	PEI185	PS185
bright.one	PLR115C		PH115	PEA115	PEI115	PS115
bright.two	PLR116C		PH116	PEA116	PEI116	PS116
bright.three	PLR117C		PH117	PEA117	PEI117	PS117
bright.four	PLR118C		PH118	PEA118	PEI118	PS118
Cherry Red	PLR387C		PH387	PEA387	PEI387	PS387
Chocolate Brown	PLR384C		PH384	PEA384	PEI384	PS384
cool.one	PLR107C		PH107	PEA107	PEI107	PS107
cool.two	PLR108C		PH108	PEA108	PEI108	PS108
cool.three	PLR109C		PH109	PEA109	PEI109	PS109
cool.four	PLR110C		PH110	PEA110	PEI110	PS110
Cotton Beige	PLR383C		PH383	PEA383	PEI383	PS383
Durban Oak Brown	PLR392C		PH392	PEA392	PEI392	PS392
Durban Oak Taupe	PLR391C		PH391	PEA391	PEI391	PS391
Fine Oak Brown	PLR15202W		PH15202	PEA15202	PEI15202	PS15202
Fine Oak Light	PLR15203W		PH15203	PEA15203	PEI15203	PS15203
Fountain Blue	PLR376C		PH376	PEA376	PEI376	PS376
Halifax Oak Brown	PLR390C		PH390	PEA390	PEI390	PS390
Halifax Oak Natural	PLR389C		PH389	PEA389	PEI389	PS389

Design	Fits to		Skirting board	External corner	Inside corner	Welding rods
Honey Mustard	PLR128C		PH128	PEA128	PEI128	PS128
Jade Green	PLR373C		PH373	PEA373	PEI373	PS373
Light Grey	PLR021C		PH021	PEA021	PEI021	PS021
Mayfield Oak Nature	PLR15213W		PH15213	PEA15213	PEI15213	PS15213
Mayfield Oak Taupe	PLR15214W		PH15214	PEA15214	PEI15214	PS15214
Melange	PLR003C		PH003	PEA003	PEI003	PS003
Melbourne Oak Brown	PLR396C		PH396	PEA396	PEI396	PS396
Melbourne Oak Natural	PLR395C		PH395	PEA395	PEI395	PS395
Napa Walnut Brown	PLR136C		PH136	PEA136	PEI136	PS136
Napa Walnut Rust	PLR388C		PH388	PEA388	PEI388	PS388
Navi Blue	PLR129C		PH129	PEA129	PEI129	PS129
Newport Oak Brown	PLR394C		PH394	PEA394	PEI394	PS394
Newport Oak Natural	PLR393C		PH393	PEA393	PEI393	PS393
Ocean Blue	PLR381C		PH381	PEA381	PEI381	PS381
Powder Rose	PLR374C		PH374	PEA374	PEI374	PS374
Pure White	PLR025C		PH025	PEA025	PEI025	PS025
pure.one	PLR111C		PH111	PEA111	PEI111	PS111
pure.two	PLR112C		PH112	PEA112	PEI112	PS112
pure.three	PLR113C		PH113	PEA113	PEI113	PS113
pure.four	PLR114C		PH114	PEA114	PEI114	PS114
Royal Blue	PLR385C		PH385	PEA385	PEI385	PS385
Rust Brown	PLR382C		PH382	PEA382	PEI382	PS382
Siena Oak Brown	PLR15220W		PH15220	PEA15220	PEI15220	PS15220
Siena Oak Honey	PLR15221W		PH15221	PEA15221	PEI15221	PS15221
Silver Grey	PLR022C		PH022	PEA022	PEI022	PS022
Springtime Orange	PLR378C		PH378	PEA378	PEI378	PS378
Steel Grey	PLR023C		PH023	PEA023	PEI023	PS023
Summer Sky	PLR014C		PH014	PEA014	PEI014	PS014
Sunshine Yellow	PLR377C		PH377	PEA377	PEI377	PS377
Tropical Orange	PLR386C		PH386	PEA386	PEI386	PS386
warm.one	PLR119C		PH119	PEA119	PEI119	PS119
warm.two	PLR120C		PH120	PEA120	PEI120	PS120
warm.three	PLR121C		PH121	PEA121	PEI121	PS121
warm.four	PLR122C		PH122	PEA122	PEI122	PS122
Wheat Brown	PLR379C		PH379	PEA379	PEI379	PS379



Windmüller GmbH

info@wineo.de

www.wineo.de

Member of

FEB **ERFMI.** **DGNB**

