

wineo

THAT'S FLOORING

- _ **CERTIFIED SUSTAINABILITY**
- _ **PROVEN HEALTHY LIVING**
- _ **STATE OF THE ART MATERIAL QUALITY**
- _ **FUTURE-PROOF DESIGN**
- _ **LIFETIME GUARANTEE**
- _ **HIGH DURABILITY**
- _ **EASY INSTALLATION**
- _ **MADE IN GERMANY**
- _ **WITHOUT THE ADDITION OF CHLORINE**
- _ **WITHOUT PLASTICISERS**
- _ **WITHOUT SOLVENTS**



NEW

wineo 1000
PURLINE ORGANIC FLOORING

**BEST INGREDIENTS FOR
HEALTHY LIVING**



PURLINE ORGANIC FLOORING
SUSTAINABILITY USING THE BEST INGREDIENTS

PURLINE organic flooring is a specialist polyurethane flooring with the best natural ingredients such as plant oils and mineral components. It is based on ecuran, the innovative high-performance composite material which takes environmental aspects into consideration, as well as being sustainable and satisfying modern demands. PURLINE organic flooring combines all the benefits that modern floors need to have: it is high-performing, the authentic designs are impressive and it is natural. Based on mainly renewable and natural raw materials, it is produced entirely in the Eastern Westphalia region of Germany **without the addition of chlorine, plasticisers or solvents.**



BEST INGREDIENTS FOR
HEALTHY HOMES

Live everyday life surrounded by materials that are not harmful to you. This allows you to always breathe easily – this is what healthy homes are all about. PURLINE organic flooring makes an important contribution as it does not emit any harmful substances, it is odourless, quiet and gentle on the joints. Its properties make it perfect and safe for family homes. It can be used without hesitation as a healthy floor option for a child’s bedroom through to the kitchen.



**HEALTHY LIVING AND NATURAL MATERIALS
WITHOUT PVC – USED WITHOUT HESITATION**

PURLINE organic flooring is a high-quality polyurethane flooring made from natural ingredients offering a healthy alternative to vinyl flooring, carpet, parquet and tiles.

Made with **ecuran**
your flooring upgrade

www.blauer-engel.de/uz120
www.blauer-engel.de/uz176

ELASTIC ORGANIC FLOORING FOR GLUING



PERFECT SOLUTION FOR

- even subsurfaces (new buildings)
- prepared subsurfaces (renovations)
- existing floor coverings (DIN 18202) in combination with silentPREMIUM underlay mat

SPECIAL PRODUCT FEATURES

- low installation height of 2.2 mm
- perfect heat distribution when used over underfloor heating
- simple cutting to size with a cutter knife

INSTALLATION OPTIONS

1. STANDARD GLUING

- 1.1** firm bond with the existing subsurface
- 1.2** bonds to the downward self-adhesive silentPLUS underlay mat

2. REMOVABLE DIY GLUING

- installation on silentPREMIUM self-adhesive underlay mat
- no gluing to the subsurface
- easy, fast and clean to install without liquid adhesives
- can be walked on immediately and is easy to remove



ELASTIC ORGANIC FLOORING FOR CLICKING IN



PERFECT SOLUTION FOR

- even subsurfaces (new buildings)
- prepared subsurfaces (renovations)

SPECIAL PRODUCT FEATURES

- low installation height of 5 mm
- perfect heat distribution when used over underfloor heating
- quick and easy installation thanks to proven click connection
- simple cutting to size with a cutter knife

INSTALLATION OPTIONS

1. FLOATING


- directly onto the prepared subsurface
- installation on stabilising silentCOMFORT underlay mat
- can be walked on immediately and is easy to remove



BEST INGREDIENTS FOR A COORDINATED INTERIOR

Taking into account current design and colour trends based on the very latest trend research, four central themes have been created, for which a large assortment of matching surface designs have been developed. Discover our interior colour recommendations.

Find out more about trends here:



MULTI-LAYER | RIGID ORGANIC FLOORING FOR CLICKING IN



PERFECT SOLUTION FOR

- subsurfaces with slight unevenness (renovations)
- bridging height differences (new buildings)

SPECIAL PRODUCT FEATURES

- practical installation height of 9 mm
- Tele-Stop: Minor irregularities in the subfloor will not show up
- Install-Ready: integrated underlay mat cuts refurbishment times and reduces walking and impact sounds by up to 15 dB
- quick and easy installation thanks to proven click connection
- cutting to size with a saw or laminate cutter

INSTALLATION OPTIONS


1. FLOATING

- direct installation on the subsurface
- PE vapour barrier for installation on mineral subsurfaces
- can be walked on immediately and is easy to remove



WOOD XL

- brushed matt NatureSurface
- high-quality 1-strip wide plank in an XL-format
- striking, milled V-joint to emphasise the plank format
- 21 different planks for each decor
- no noticeable repeats
- supremely authentic wood effects



PREMIUM

WOOD L | STONE L


- brushed matt NatureSurface
- planks and tiles in classic L-format
- micro-bevel all round for a smooth overall look
- 10 different planks / tiles per decor




BASIC

On our website you will find interesting and helpful information about your wineo flooring. You can even trial your floor virtually in your own home using wineo Floor Viewer at **floorviewer.wineo.de**


*Test now how your home looks
with PURLINE organic flooring.*




Calm Oak Bright




Calm Oak Shell




Calm Oak Mocca




Calm Oak Ash




Noble Oak Powder




Noble Oak Vanilla



Noble Oak Toffee




Noble Oak Chocolate




Rustic Oak Taupe




Rustic Oak Ginger




Rustic Oak Nougat




Rustic Oak Coffee




Light Maple Cream




Natural Pine Beach




Comfort Oak Sand




Intensive Oak Honey




Intensive Oak Caramel



Strong Oak Cinnamon




Soft Oak Salt




Soft Oak Silver




Soft Oak Pepper




Strong Oak Cappuccino




Urban Concrete Light



Urban Concrete Smoke



Urban Concrete Steel



Urban Concrete Dark

wineo

THAT'S FLOORING

Product no. 20096177 | 10/2022



DURABLE



LOW EMISSIONS



EASY CARE



ODOUR NEUTRAL



UV-RESISTANT



MINIMAL SMOKE



NON-SLIP



QUIET



SUITABLE FOR HIGH HUMIDITY AREAS



WARM TO THE FEET



SUITABLE FOR UNDERFLOOR HEATING



GENTLE ON THE ANKLES



Windmüller GmbH
Nord-West-Ring 21
D-32832 Augustdorf

Tel.: +49 (0) 52 37 609 - 0
Fax: +49 (0) 52 37 609 - 309
info@wineo.de

www.wineo.de

The detailed
PURLINE organic flooring brochure
can be downloaded here!

